

**ADDITIONAL INFORMATION.**

A SURVEY OF EXISTING DRAINAGE SYSTEM TO BE CARRIED OUT PRIOR TO THE COMMENCEMENT OF THE WORKS.  
 THE DRAINAGE SYSTEM IS A COMBINED DRAINAGE SYSTEM,  
 ALL NEW RAINWATER DRAIN RUNS TO DISCHARGE INTO EXISTING COMBINED RAINWATER SYSTEM,  
 ALL NEW FOUL DRAIN RUNS TO DISCHARGE INTO EXISTING COMBINED SOIL SYSTEM,  
 ALL 100mm DIAM SURFACE / RAINWATER WATER DRAIN RUNS UNDER STRUCTURE TO BE ENCASED IN 150mm LEAN CONCRETE WITH PRECAST CONC LINTOLS OVER,  
 ALL DISUSED DRAIN RUNS, AJS AND BIGTS TO BE REMOVED AND FILLED IN WITH SUITABLE MATERIAL.



New Rainwater Soakaway to BSE 265 D C 607 Standard

**DESMOND J. HALPIN & ASSOCIATES**  
 Planning & Building Design Consultants  
 15-16 Berghide Drive, Firhouse, Dublin 24 Phone: 01-4523710 Email: deahalpin15@gmail.com

PROPOSED DEVELOPMENT AT 146 St. MAELRUANS PARK, TALLAGHT, DUBLIN 24,	Scale <b>1:100 @ A3.</b>	Drawn DJH
<b>No145</b>	Drawing No 15A-10 -22	Rev
PROPOSED REAR GARDEN OPEN SPACE	Date Jan.2023.	Chk JK
MARY DALTON.		

