

Aras Chronain
Botha an Ulloird
Cluain Docain
Baile Atha Cliath 22.

**NOTIFICATION TO GRANT PERMISSION FOR RETENTION
PLANNING & DEVELOPMENT ACT, 2000 (as amended) AND PLANNING
REGULATIONS THEREUNDER**

Final Grant Order No.:	0125	Date of Final Grant:	03-Feb-2023
Decision Order No.:	1587	Date of Decision:	13-Dec-2022
Register Reference:	SD22A/0409	Date:	28-Oct-2022

Applicant: Muintir Chrónáin Cuideachta Faoi Theorainn Ráthaíochta
Development: Retention of erection of new electronic of 8 x 5.5ft sign which replaces existing 9 x 6ft wooden sign inside the boundary wall on Orchard Road side of the site, in the curtilage of Áras Chrónáin (Protected Structure).
Location: Aras Chronain, Botha an Ulloird, Cluain Docain, Baile Atha Cliath 22.

Time extension(s) up to and including:
Additional Information Requested/Received:

A Permission has been granted for the development described above, subject to the following conditions.

Conditions and Reasons:

1. Development to be in accordance with submitted plans and details.
The development shall be retained and completed fully in accordance with plans, particulars and specifications lodged with the application, within XX months of the grant of permission, save as may be required by other conditions attached hereto.
REASON: To ensure that the development is in accordance with the permission and that effective control is maintained.
2. 1. The level of illumination of the lighting for the signs shall be reviewable at any time by the Roads Department in the interests of traffic safety, and adjustments shall be made by the applicant at their own expense if required to do so by South Dublin County Council.
2. All signage must comply with SDCC CDP 2022-2028: Section 12.5.7 Signage, and Table 3.19 Signage.
3. The disposal of surface water shall accord with the requirements of the Planning Authority as follows:
(a) The surface water generated by the development (roof and pavements) shall not be discharged to the sewer but shall be infiltrated locally, to a soakpit or similar. There shall be no overflow to the public network. The soakpit shall be designed to BRE Digest 365, shall be at a min. 5m from the house and shall have no impact on neighbouring properties.
(b) If the applicant does not consider a soakpit a feasible solution, the applicant shall prove that by submitting a report signed by a Chartered Engineer, showing an infiltration test (with results, photos, etc), and shall propose an alternative SuDS measure for the written agreement

of the Planning Authority thereafter for build-out

(c) Any changes to the parking and hardstanding areas shall be constructed in accordance with the recommendations of the Greater Dublin Strategic Drainage Study for sustainable urban drainage systems (SUDS) i.e. permeable surfacing. Where unbound material is proposed for hardstanding areas, it shall be contained in such a way to ensure that it does not transfer on to the public road or footpath.

REASON: In accordance with GI4 Objective 1 of the County Development Plan 2022-2028 and the South Dublin County Council's Sustainable Drainage Explanatory Design and Evaluation Guide, 2022

4. Restrictions on Signage.

Notwithstanding the provisions of the Planning and Development Regulations 2001, or any statutory provision amending or replacing them, no further advertisement signs (including any signs installed to be visible through windows), advertisement structures, banners, canopies, flags, or other projecting elements shall be displayed or erected on the development or within the curtilage of the site, unless authorised by a grant of planning permission.

REASON: To protect the visual amenities of the area and in the interest of the proper planning and sustainable development of the area.

- (1) All buildings must be designed and constructed in accordance with the Building Regulations 1997.
- (2) Building Control Regulations require a Commencement Notice. Please log onto www.localgov.ie and click on BCMS link.
- (3) A Fire Safety Certificate must be obtained from the Building Control Authority, where applicable.
- (4) Free Standing Walls must be designed and constructed in accordance with IS 325: Code of Practice for use of Masonry Part 1: Structural use of reinforced Masonry. The Owner must also ensure that the construction of all walls is supervised by a competent person.

Signed on behalf of South Dublin County Council.

M. Crowley

_____03-Feb-2023
for Senior Planner