


NOTES:  
 1. DO NOT SCALE. USE FIGURED DIMENSIONS ONLY.  
 2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT ARCHITECTURAL AND ENGINEERING DRAWINGS.

**LEGEND**

- EX XXX@ 1/XXX ○ EXSX PROPOSED APPROVED SURFACE WATER SEWER WITH PIPE SIZE, GRADE, MANHOLE REF. AND INVERT LEVEL
- EX XXX@ 1/XXX ● EXFX PROPOSED APPROVED FOUL WATER SEWER WITH PIPE SIZE, GRADE, MANHOLE REF. AND INVERT LEVEL
- XXX@ 1/XXX ○ FX PROPOSED FOUL WATER SEWER WITH PIPE SIZE, GRADE, MANHOLE REF. AND INVERT LEVEL
- PROPOSED INSPECTION CHAMBER
- XXX@ 1/XXX ○ SX PROPOSED SURFACE WATER SEWER WITH PIPE SIZE, GRADE, MANHOLE REF. AND INVERT LEVEL
- PROPOSED GULLY AND 150Ø GULLY PIPE, DOUBLE GULLY AT LOW POINTS
- PERMEABLE PAVING
- PROPOSED BIO-RETENTION TREE PIT
- PROPOSED GREEN ROOF MIN 60% COVERAGE



Ordnance Survey Ireland Licence No. EN 0006023 © Ordnance Survey Ireland/Government of Ireland.

A	05/12/22	REVISED TO SUIT COMMENTS FROM IRISH WATER	NS	RM
REV. DATE		AMENDMENT	DRN	APPD

STATUS **PLANNING**

**Waterman Moylan**  
 Engineering Consultants  
 BLOCK 5, EASTPOINT BUSINESS PARK, ALFIE BYRNE ROAD, DUBLIN D03 K7WY IRELAND  
 Tel: (01) 664 8900 Fax: (01) 661 3618  
 Email: info@waterman-moylan.ie www.waterman-moylan.ie

CLIENT **QUINTAIN**  
 ARCHITECT **BKD ARCHITECTS**

PROJECT **CLONBURRIS**

TITLE **DRAINAGE LAYOUT SHEET 2 OF 2**

DRAWN MS	DESIGNED RM	APPROVED MD	DATE JAN 2023
SCALE 1:500 @ A1	JOB NO. 21-055	DRG. NO. P1202	REVISION A

NOTE:  
 ALL INDIVIDUAL PRIVATE FOUL WATER DRAINS TO BE 100Ø PIPES, MIN AT 1/60, MAX AT 1/30.  
 ALL PRIVATE SURFACE WATER DRAINS TO BE 150Ø PIPES.  
 ALL COLLECTOR FOUL WATER DRAINS TO BE 150Ø PIPES.

NOTE:  
 PIPE MATERIAL SPECIFICATION AS PER NOTES ON GENERAL ARRANGEMENT DRAWING NO. P1200.