

**An Rannóg Talamhúsáide, Pleanála agus Iompair  
Land Use, Planning & Transportation Department**

**Telephone: 01 4149000 Fax: 01 4149104 Email: [planning.dept@sdblincoco.ie](mailto:planning.dept@sdblincoco.ie)**

**Thornton O'Connor Town Planning  
49, Upper Mount Street  
Dublin 2**

**NOTIFICATION TO GRANT PERMISSION  
PLANNING & DEVELOPMENT ACT, 2000 (as amended) AND PLANNING  
REGULATIONS THEREUNDER**

Final Grant Order No.:	<b>0053</b>	Date of Final Grant:	<b>21-Jan-2022</b>
Decision Order No.:	<b>1550</b>	Date of Decision:	<b>30-Nov-2021</b>
Register Reference:	<b>SD21A/0276</b>	Date:	<b>06-Oct-2021</b>

**Applicant:** IPUT plc

**Development:** Amendment to SDCC REF. SD19A/0264 comprising the omission of the 33 permitted Photovoltaic (PV) Solar Panels (53sq.m) to the ancillary office roof; provision of 400 Photovoltaic (PV) Solar Panels (717sq.m) to the warehouse roof; provision of an amended access arrangement including pedestrian and cyclist infrastructure to the staff/visitor carpark with the provision of an inter-com/FOB access point, central concrete aisle and gates; omission of 1 permitted car parking space (reducing the quantum of car parking from 152 to 151 spaces); the provision of 2 sections of strip window glazing to the northern elevation of the warehouse (each 37.4m in length and 1m in height); the provision of a soft surface outdoor exercise area; boundary treatments and all associated development works above and below ground.

**Location:** Site Q2, Jordantown Road, Aerodrome Business Park, Collegeland, Rathcoole, Co. Dublin

**Time extension(s) up to and including:**

**Additional Information Requested/Received:** /

A Permission has been granted for the development described above, subject to the following conditions.

**Conditions and Reasons:**

1. Development in accordance with submitted plans and details.

The development shall be carried out and completed in its entirety fully in accordance with the plans, particulars and specifications lodged with the application, save as may be required by the other conditions attached hereto.

REASON: To ensure that the development shall be in accordance with the permission and that effective control be maintained.

2. Previous Permission.

The applicant shall comply with all conditions of previous permission SD19A/0264 unless otherwise stated.

REASON: In the interest of clarity and the proper planning and sustainable development of the area.

3. Glint/Glare Assessment regarding Aviation.

Prior to the commencement of development, the applicant/owner shall submit the following to the Planning Authority:

(a) written confirmation that the applicant has forwarded a Glint and Glare Assessment which considers the predicted effects of the proposed solar panels on sensitive aircraft receptors of the proposed development to the Irish Aviation Authority and relevant mitigation measures.

(b) the written agreement of the Irish Aviation Authority and/or the Air Corps Traffic Service, which states that:

(i) the proposed construction works - inclusive of cranes - will not affect the safety, efficiency or regularity of aircraft generally and/or of Air Corps operations.

(ii) the proposed development - inclusive of the solar panels - will not affect the safety, efficiency or regularity of aviation operations or the emergency services (e.g. Coast Guard helicopters ) operated in the vicinity of Tallaght Hospital.

REASON: In the interests of public safety, protecting the environment and in the interests of the amenities of the area.

4. Drainage - Irish Water.

(a) The water supply and drainage infrastructure, shall comply with the requirements of Irish Water.

(b) There shall be complete separation of the foul and surface water drainage systems, both in respect of installation and use. All new precast surface water manholes shall have a minimum thickness surround of 150mm Concrete Class B.

REASON: In the interests of public health, the proper planning and sustainable development of the area and in order to ensure adequate water supply and drainage provision.

5. Drainage - Surface Water.

The disposal of surface water, shall fully comply with all of the technical requirements of the Council's Water Services Section. In this regard, prior to the commencement of development, the applicant/developer shall submit the following for the written agreement of the Planning Authority:

(a) Fully detailed foul and surface water drainage plans for the proposed development as approved showing location of all manholes, AJs etc located within the site boundary up to and including point of connection to the public sewer that fully accords with the requirements Council's Water Services Section and or Irish Water,

(b) There shall be complete separation of the foul and surface water drainage systems, both in respect of installation and use. All new precast surface water manholes shall have a minimum thickness surround of 150mm Concrete Class B.

(c) All drainage works for this development shall comply fully with the Greater Dublin Regional Code of Practice for Drainage Works.

(d) The soakaway design to be submitted shall be certified to BRE Digest 365 standard by a suitably qualified person carrying professional indemnity insurance and shall include documented evidence of infiltration test results to demonstrate that the soakaway complies with the requirements of BRE Digest 365.

The revised plans shall provide for a soakaway to be located within the curtilage of the property and this shall be:

(i) at least 5m from any buildings, public sewers or structures and not in such a position that the ground below foundations is likely to be adversely affected.

(ii) at least 5m from the nearest road boundary and not within 3m of the boundary of the adjoining site.

(iii) a minimum of 10m from any sewage treatment percolation area.

(iv) at least 10m from any stream / river / flood plain.

In addition only rainwater shall be discharged to soakaways.

REASON: In the interests of public health, safety, the proper planning and sustainable development of the area and in order to ensure adequate and appropriate surface water drainage provision.

#### 6. SuDS.

The applicant shall include SuDS (Sustainable Drainage System) such as tree pits or other such SuDS permeable paving where this is practical.

REASON: In the interests of public health, safety, the proper planning and sustainable development of the area and in order to ensure adequate and appropriate surface water drainage provision.

#### 7. Landscape.

A maximum of two weeks from the date of any Commencement Notice within the meaning of Part II of the Building Control Regulations 1997 and prior to the commencement of any works on site the applicant, owner or developer shall have lodged with the Planning Authority;

(a) A fully detailed landscape plan, to be agreed with Public Realm, with full works specification, that accords with the specifications and requirements of the Council's Public Realm Section. The landscape Plan shall include hard and soft landscape details; including levels, sections and elevations in addition the applicant is requested to submit a fully detailed Planting Plan for the development.

(b) The planting plan shall clearly set out the following:

(i) Location of species types, schedule of plants noting species, planting sizes and proposed numbers/densities where appropriate

(ii) Implementation timetables.

(iii) Detailed proposals for the future maintenance/management of all landscaped areas.

The landscape proposals shall ensure no net loss of trees over those proposed in the permitted landscape proposals of development reference SD19A/0264.

REASON: In the interest of amenity, compliance with Development Plan Policy, the provision, establishment and maintenance of a reasonable standard of landscape and proper planning and sustainable development of the area.

NOTE: The applicant is advised that under the provisions of Section 34 (13) of the Planning and Development Act 2000 (as amended) a person shall not be entitled solely by reason of a permission to carry out any development.

NOTE: The applicant or developer should ensure that all necessary measures shall be taken by the contractor to prevent the spillage or deposit of clay, rubble or other debris on adjoining roads during the course of the works and to ensure that any such instances arising are remedied immediately.

NOTE: The applicant shall notify the Irish Aviation Authority and the Department of Defence regarding any cranes likely to penetrate ICAO surfaces.

- (1) All buildings must be designed and constructed in accordance with the Building Regulations 1997.
- (2) Building Control Regulations require a Commencement Notice. Please log onto [www.localgov.ie](http://www.localgov.ie) and click on BCMS link.
- (3) A Fire Safety Certificate must be obtained from the Building Control Authority, where applicable.
- (4) Free Standing Walls must be designed and constructed in accordance with IS 325: Code of Practice for use of Masonry Part 1: Structural use of reinforced Masonry. The Owner must also ensure that the construction of all walls is supervised by a competent person.

Signed on behalf of South Dublin County Council.

*Brian Connolly* 21-Jan-2022  
for Senior Planner