

Tree/Tree Group number	No. of trees	Species: Common name	Species: Scientific Name	Stem count	Stem diameter (mm)	Height (m)	Crown spread (m)				First significant branch (FSB)- height	First significant branch (FSB) - direction of growth	Canopy clearance Ht (m)	Life stage: Y-SM-EM-M-LM-V-A	Physiological Condition: G-N-F-P-D	Observations	Preliminary management recommendations	Remaining contribution in years: <10, 10+, 20+, 40+	Retention category	RPR (M)	RPA(M ²)
							N	E	S	W											
T1731	1	Small-leaved Lime	Tilia cordata	1	260	8	3.5	3.5	3.5	3.5	2	S	2	Semi-mature	Normal	Good structural condition	none	40+	A2	3.1	31
T1732	1	Small-leaved Lime	Tilia cordata	1	230	8	3	3	3	3	2	S	1	Semi-mature	Normal	Good structural condition	none	40+	A2	2.8	24
T1733	1	Small-leaved Lime	Tilia cordata	1	260	8	3.5	3.5	3.5	3.5	2	E	2	Semi-mature	Normal	Good structural condition	none	40+	A2	3.1	31
T1734	1	Small-leaved Lime	Tilia cordata	1	300	8	3.5	3.5	3.5	3.5	2	SE	2	Semi-mature	Normal	Good structural condition. Brown spots on the leaves, minor physiological defect.	Crown raise over pavement to improve headroom, 2.5 m head clearance over pavement.	40+	A2	3.6	41
T1735	1	Small-leaved Lime	Tilia cordata	1	280	8	3.5	3.5	3.5	3.5	2	S	1	Semi-mature	Normal	Good structural condition. Brown spots on the leaves, minor physiological defect.	Crown raise over pavement to improve headroom, 2.5 m head clearance over pavement.	40+	A2	3.4	35
T1736	1	Small-leaved Lime	Tilia cordata	1	230	8	3	3	3	3	2	S	1	Semi-mature	Normal	Good structural condition	Crown raise over pavement to improve headroom, 2.5 m head clearance over pavement.	40+	A2	2.8	24
T1737	1	Small-leaved Lime	Tilia cordata	1	250	8	3	3	3	3	2	W	1	Semi-mature	Normal	Good structural condition. Brown spots on the leaves, minor physiological defect.	Crown raise over pavement to improve headroom, 2.5 m head clearance over pavement.	40+	A2	3	28
T1738	1	Small-leaved Lime	Tilia cordata	1	240	8	3.5	3	3	3	2	N	1	Semi-mature	Normal	Good structural condition. Brown spots on the leaves, minor physiological defect.	Crown raise over pavement to improve headroom, 2.5 m head clearance over pavement.	40+	A2	2.9	26
T1739	1	Small-leaved Lime	Tilia cordata	1	240	8	3.5	3.5	3	3	2	E	1	Semi-mature	Normal	Good structural condition. Brown spots on the leaves, minor physiological defect.	Crown raise over pavement to improve headroom, 2.5 m head clearance over pavement.	40+	A2	2.9	26
T1740	1	Small-leaved Lime	Tilia cordata	1	260	8	3.5	3.5	3	3	2	SE	1	Semi-mature	Normal	Good structural condition. Brown spots on the leaves, minor physiological defect.	Crown raise over pavement to improve headroom, 2.5 m head clearance over pavement.	40+	A2	3.1	31
T1741	1	Large-leaved Lime	Tilia platyphyllos	1	240	8	4	4	3	3	2	E	1	Semi-mature	Normal	Good structural condition, some minor codominance, union appears good.	Crown raise over pavement to improve headroom, 2.5 m head clearance over pavement.	40+	A2	2.9	26
T1742	1	Large-leaved Lime	Tilia platyphyllos	1	280	8	4.5	4.5	3	3	2	SE	1	Semi-mature	Normal	Good structural condition, some minor codominance, union appears good.	Crown raise over pavement to improve headroom, 2.5 m head clearance over pavement.	40+	A2	3.4	35

Tree/Tree Group number	No. of trees	Species: Common name	Species: Scientific Name	Stem count	Stem diameter (mm)	Height (m)	Crown spread (m)				First significant branch (FSB)- height	First significant branch (FSB) - direction of growth	Canopy clearance Ht (m)	Life stage: Y-SM-EM-M-LM-V-A	Physiological Condition: G-N-F-P-D	Observations	Preliminary management recommendations	Remaining contribution in years: <10, 10+, 20+, 40+	Retention category	RPR (M)	RPA(M ²)
							N	E	S	W											
T1743	1	Large-leaved Lime	Tilia platyphyllos	1	300	8	4	4	3	3	2	SE	1	Semi-mature	Normal	Moderate structural condition, co-dominant stems 3 m from ground level, partial bark inclusion.	Crown raise over pavement to improve headroom, 2.5 m head clearance over pavement.	40+	A2	3.6	41
T1744	1	Small-leaved Lime	Tilia cordata	1	200	8	2.5	2.5	2	2	2	S	1	Semi-mature	Normal	Good structural condition. Brown spots on the leaves, minor physiological defect.	none	40+	A2	2.4	18
T1745	1	Small-leaved Lime	Tilia cordata	1	220	8	4	4	3	3	2	S	1	Semi-mature	Normal	Good structural condition	Crown raise over pavement to improve headroom, 2.5 m head clearance over pavement.	40+	A2	2.6	22
T1746	1	Small-leaved Lime	Tilia cordata	1	250	8	4	4	4	3	2	SE	0.5	Semi-mature	Normal	Good structural condition	Crown raise over pavement to improve headroom, 2.5 m head clearance over pavement.	40+	A2	3	28
T1747	1	Small-leaved Lime	Tilia cordata	1	310	8	4.5	4.5	4	4	2	E	0.5	Semi-mature	Normal	Good structural condition	Crown raise over pavement to improve headroom, 2.5 m head clearance over pavement.	40+	A2	3.7	43
T1748	1	Small-leaved Lime	Tilia cordata	1	250	8	3.5	3.5	3	3.5	2	NE	0.5	Semi-mature	Normal	Good structural condition	Crown raise over pavement to improve headroom, 2.5 m head clearance over pavement.	40+	A2	3	28
T1749	1	Horse chestnut	Aesculus hippocastanum	1	500	16	6	6	4	3	2	N	0	Early-mature	Fair	Structural condition-moderate, co-dominant stems 1 m from ground level with bark inclusion, 3 x stems. Frequent leaf blotch on the foliage.	none	20+	B2	6	113
T1750	1	Ash	Fraxinus excelsior	1	280	16	3	3	4	3	3	SE	2	Early-mature	Fair	Structural condition-moderate, trunk is obscured by ivy, co-dominant stems 5 m from ground level. Some dieback in the crown.	none	20+	B2	3.4	35
T1751	1	Horse chestnut	Aesculus hippocastanum	1	440	11	5	3	3	3	3	N	0	Early-mature	Fair	Structural condition-moderate, co-dominant stems 1 m from ground level union is obscured by ivy, 3 x stems. Frequent leaf blotch on the foliage.	none	20+	B2	5.3	88
T1752	1	Ash	Fraxinus excelsior	2	410	16	5	3	5	4	4	S	4	Early-mature	Normal	Structural condition-moderate, co-dominant stems at ground level, union is obscured by ivy. Some minor deadwood in the crown, foliage generally appears normal.	none	20+	B2	4.9	76

Tree/Tree Group number	No. of trees	Species: Common name	Species: Scientific Name	Stem count	Stem diameter (mm)	Height (m)	Crown spread (m)				First significant branch (FSB)- height	First significant branch (FSB) - direction of growth	Canopy clearance Ht (m)	Life stage: Y-SM-EM-M-LM-V-A	Physiological Condition: G-N-F-P-D	Observations	Preliminary management recommendations	Remaining contribution in years: <10, 10+, 20+, 40+	Retention category	RPR (M)	RPA(M ²)
							N	E	S	W											
T1753	1	Rowan	Sorbus aucuparia	1	260	12	4	1	2	3	2	N	2	Early-mature	Normal	Structural condition-moderate, co-dominant stems 1.2 m from ground level, trunk and union are heavily obscured by ivy.	none	20+	B2	3.1	31
T1754	1	Horse chestnut	Aesculus hippocastanum	2	381	12	4.5	4	3	2	2	NE	0	Early-mature	Fair	Structural condition-fair, co-dominant stems at ground level, union and trunk are obscured by ivy. Extensive leaf blotch.	none	10+	C2	4.6	66
T1755	1	Horse chestnut	Aesculus hippocastanum	1	325	16	5	4	4	2	3	E	0	Early-mature	Fair	Structural condition-moderate, co-dominant stems 1.2 m from ground level, trunk is partially obscured by ivy. The union has included bark. Extensive leaf blotch.	none	10+	C2	3.9	48
T1756	1	Horse chestnut	Aesculus hippocastanum	1	500	16	5	4	4	5	2	N	0	Early-mature	Fair	Structural condition-fair, co-dominant stems 1 m from ground level, union and trunk are obscured by ivy. Limbs are overextended to the north. Extensive leaf blotch.	none	10+	C2	6	113
T1757	1	Ash	Fraxinus excelsior	1	340	16	4	4	4	4	4	S	3	Early-mature	Normal	Structural condition-moderate, minor codominance, trunk and limbs are obscured by ivy.	none	20+	B2	4.1	52
T1758	1	Horse chestnut	Aesculus hippocastanum	1	580	16	6	3	4	3	2	S	1	Early-mature	Fair	Structural condition-fair, co-dominant stems 1.2 m from ground level, union and trunk are obscured by ivy. Limbs are overextended to the north. Extensive leaf blotch.	none	10+	C2	7	152
T1759	1	Horse chestnut	Aesculus hippocastanum	1	230	11	3	1	1	2	2	E	0	Early-mature	Fair	Structural condition-fair, crown is heavily suppressed by neighbouring trees. Trunk is heavily obscured by ivy and has an irregular growth pattern. Extensive leaf blotch.	none	10+	C2	2.8	24
T1760	1	Horse chestnut	Aesculus hippocastanum	1	330	13	5	3	3	4	2	N	0	Early-mature	Fair	Structural condition-fair, co-dominant stems 1 m from ground level, union is obscured by ivy, crown is partially suppressed by neighbouring trees. Trunk is leaning to the north. Extensive leaf blotch.	none	10+	C2	4	49
T1761	1	Ash	Fraxinus excelsior	2	410	16	4	4	4	4	4	W	5	Early-mature	Normal	Structural condition-moderate, co-dominant stems at ground level, partial bark inclusion.	none	20+	B2	4.9	76

Tree/Tree Group number	No. of trees	Species: Common name	Species: Scientific Name	Stem count	Stem diameter (mm)	Height (m)	Crown spread (m)				First significant branch (FSB)- height	First significant branch (FSB) - direction of growth	Canopy clearance Ht (m)	Life stage: Y-SM-EM-M-LM-V-A	Physiological Condition: G-N-F-P-D	Observations	Preliminary management recommendations	Remaining contribution in years: <10, 10+, 20+, 40+	Retention category	RPR (M)	RPA(M ²)
							N	E	S	W											
															Trunk is partially obscured by ivy.						
T1762	1	Horse chestnut	Aesculus hippocastanum	1	380	16	6	3	3	3	2	N	0	Early-mature	Fair	Structural condition-moderate, co-dominant stems 1.2 m from ground level, trunk and limbs are heavily obscured by ivy. Extensive leaf blotch.	none	10+	C2	4.6	65
T1763	1	Horse chestnut	Aesculus hippocastanum	1	440	14	5	3	3	4	1	E	0	Early-mature	Fair	Structural condition-moderate, co-dominant stems 1 m from ground level, trunk and limbs are partially obscured by ivy. Extensive leaf blotch.	none	10+	C2	5.3	88
T1764	1	Ash	Fraxinus excelsior	2	403	18	5	5	5	5	2	NE	4	Early-mature	Normal	Structural condition-moderate, co-dominant stems at ground level, union is not visible, trunk and limbs are partially obscured by ivy.	none	20+	B2	4.8	73
T1765	1	Horse chestnut	Aesculus hippocastanum	1	240	12	4	1	1	2	2	N	0	Early-mature	Fair	Structural condition-moderate, trunk and limbs are heavily obscured by ivy, crown is heavily suppressed by neighbouring trees, weighted to the north.	none	10+	C2	2.9	26
T1766	1	Ash	Fraxinus excelsior	4	468	18	5	5	5	5	4	W	4	Early-mature	Normal	Structural condition-moderate, multi-stem at ground level, unions are not visible. Trunk is obscured by ivy.	none	20+	B2	5.6	99
T1767	1	Horse chestnut	Aesculus hippocastanum	1	350	16	6	4	3	2	1.5	W	0	Early-mature	Fair	Structural condition-good, limbs are overextended to the north, trunk is visible, no major defects are apparent.	none	20+	B2	4.2	55
T1768	1	Horse chestnut	Aesculus hippocastanum	1	425	16	6	2	4	4	1	S	0	Early-mature	Fair	Structural condition-moderate, co-dominant stems 1 m from ground level with bark inclusion. Limbs are overextended to the north; crown is suppressed by neighbouring trees.	none	20+	B2	5.1	82
T1769	1	Monterey Cypress	Cupressus macrocarpa	1	750	22	7	7.5	7	2	1	E	1	Mature	Normal	Structural condition-moderate, co-dominant stems, over extension to the east.	none	20+	B2	9	254

Tree/Tree Group number	No. of trees	Species: Common name	Species: Scientific Name	Stem count	Stem diameter (mm)	Height (m)	Crown spread (m)				First significant branch (FSB)- height	First significant branch (FSB) - direction of growth	Canopy clearance Ht (m)	Life stage: Y-SM-EM-M-LM-V-A	Physiological Condition: G-N-F-P-D	Observations	Preliminary management recommendations	Remaining contribution in years: <10, 10+, 20+, 40+	Retention category	RPR (M)	RPA(M ²)
							N	E	S	W											
T1770	1	Monterey Cypress	Cupressus macrocarpa	1	880	24	7.5	3	6.5	3	1	N	0	Mature	Normal	Structural condition-fair, co-dominant stems, trunk and limbs are obscured by ivy, crown is overextended to the north. Crown is suppressed by neighbouring trees.	none	20+	B2	11	350
T1771	1	Monterey Cypress	Cupressus macrocarpa	1	1368	24	6	7	7	7	0.5	S	0	Mature	Normal	Structural condition-moderate, co-dominant stems, union is not visible, trunk is partially obscured by ivy.	none	20+	B2	16	846
TG1	9	Monterey Cypress (x4); Western balsam popular (x1); Sycamore (x1); lawson cypress (x2); apple (x1)	Cupressus, Populus, Acer, Malus	n/a	avg 400	20	see drawings				0		0	Early-mature	Normal	Moderate to low quality tree group. The apple tree on the northern edge of the group is fruiting.	none	10+	C2	4.8	###
TG2	53	Monterey cypress, Western balsam popular, silver birch, copper beech.	Cupressus, Populus, Betula, Fagus	n/a	avg 470	28	see drawings				0		0	Mature	Normal	Mature tree line. The individual trees are of a moderate to good quality.	none	20+	B2	7.2	###
T1772	1	Cherry spp	Cherry (Prunus spp)	1	300	12	5	3	5	4	2.5	W	2	Early-mature	Fair	Structural condition-moderate, co-dominant stems, union appears good. Leaf area is low for the life stage, crown is suppressed by neighbouring trees.	none	20+	B2	3.6	41
T1773	1	Atlas Cedar	Cedrus atlantica	1	490	16	6	4	5	5	2	N	2	Early-mature	Good	Structural condition-good.	none	40+	A1	5.9	109
T1774	1	Ash	Fraxinus excelsior	1	410	12	6	5	5	6	4	NW	2	Early-mature	Normal	Structural condition-moderate, co-dominant stems. Some minor dieback in the crown.	none	20+	B2	4.9	76
T0781	1	Limes	Limes (Tilia spp)	1	230	8	3.5	3.5	3.5	3.5	no info	no info	2.5	Semi-mature	Fair	Structural condition-fair	none	40+	A1	2.8	24
T0782	1	Limes	Limes (Tilia spp)	1	230	8	3.5	3.5	3.5	3.5	no info	no info	2.5	Semi-mature	Fair	Structural condition-fair	none	40+	A1	2.8	24
T0783	1	Limes	Limes (Tilia spp)	1	230	8	3.5	3.5	3.5	3.5	no info	no info	2.5	Semi-mature	Fair	Structural condition-fair	none	40+	A1	2.8	24
T0784	1	Limes	Limes (Tilia spp)	1	230	8	3.5	3.5	3.5	3.5	no info	no info	2.5	Semi-mature	Fair	Structural condition-fair	none	40+	A1	2.8	24
T0785	1	Limes	Limes (Tilia spp)	1	230	8	3.5	3.5	3.5	3.5	no info	no info	2.5	Semi-mature	Fair	Structural condition-fair	none	40+	A1	2.8	24
H1	n/a	Hawthorn; Bramble; Dogrose; Goat Willow; Elm; Ash.	#N/A	n/a	n/a	3	see drawings				no info	no info	0	Mature	Fair	Structural condition-fair	none	10+	C2	###	###

Tree/Tree Group number	No. of trees	Species: Common name	Species: Scientific Name	Stem count	Stem diameter (mm)	Height (m)	Crown spread (m)				First significant branch (FSB) - height	First significant branch (FSB) - direction of growth	Canopy clearance Ht (m)	Life stage: Y-SM-EM-M-LM-V-A	Physiological Condition: G-N-F-P-D	Observations	Preliminary management recommendations	Remaining contribution in years: <10, 10+, 20+, 40+	Retention category	RPR (M)	RPA (M ²)
							N	E	S	W											
T0786	1	Ash	Fraxinus excelsior	1	320	9	3	4	2	3	no info	no info	4	Early-mature	Fair	Structural condition-fair	none	10+	C1	3.8	46
T0787	1	Ash	Fraxinus excelsior	4	430	9	4	4	3	3	no info	no info	4	Early-mature	Fair	Structural condition-fair	none	10+	C1	5.2	84
T0788	1	Goat willow	Salix caprea	2	305	8	3	2	4	5	no info	no info	1.5	Early-mature	Fair	Structural condition-fair	none	10+	C1	3.7	42
T0789	1	Ash	Fraxinus excelsior	5	514	12	3	3	3	3	no info	no info	3.5	Early-mature	Fair	Structural condition-fair	none	10+	C1	6.2	119
T0790	1	Ash	Fraxinus excelsior	1	450	12	4	5	3	5	no info	no info	4	Mature	Fair	Structural condition-fair	none	10+	C1	5.4	92
T0791	1	Ash	Fraxinus excelsior	1	580	13	6	5	2	5	no info	no info	4	Mature	Fair	Structural condition-fair	none	10+	C1	7	152
H6	n/a	Hawthorn	Crataegus monogyna	n/a	n/a	1.5	see drawings				no info	no info	0	Early-mature	Fair	Structural condition-moderate	none	10+	C2	###	###
H7	n/a	Hawthorn, elder, elm, bramble, dogrose, ash.	#N/A	n/a	n/a	6	see drawings				no info	no info	0	Mature	Fair	Structural condition-fair	none	10+	C2	###	###
T0826	1	Ash	Fraxinus excelsior	3	662	12	5	4	4	4	no info	no info	3	Mature	Fair	Structural condition-fair	none	10+	C1	7.9	198
T0827	1	Ash	Fraxinus excelsior	3	493	13	4	2	4	4	no info	no info	3.5	Mature	Fair	Structural condition-fair	Remove	<10	U	5.9	110
T0828	1	Ash	Fraxinus excelsior	1	480	13	6	2	6	3	no info	no info	3.5	Mature	Fair	Structural condition-fair	none	10+	C1	5.8	104
T0829	1	Ash	Fraxinus excelsior	2	546	13	5	5	4	2	no info	no info	3.5	Mature	Fair	Structural condition-fair	none	10+	C1	6.6	135
T0830	1	Ash	Fraxinus excelsior	1	360	9	4	3	2	3	no info	no info	3.5	Mature	Fair	Structural condition-fair	none	10+	C1	4.3	59
T0831	1	Ash	Fraxinus excelsior	2	492	12	4	4	3	3	no info	no info	3.5	Mature	Fair	Structural condition-fair	none	10+	C1	5.9	109
T0832	1	Ash	Fraxinus excelsior	4	800	13	6	7	6	7	no info	no info	3.5	Mature	Fair	Structural condition-fair	none	10+	C1	9.6	289
T0833	1	Ash	Fraxinus excelsior	1	520	13	4	3	4	3	no info	no info	4	Mature	Fair	Structural condition-fair	none	10+	C1	6.2	122
T0834	1	Ash	Fraxinus excelsior	1	480	13	4	3	4	4	no info	no info	3	Mature	Fair	Structural condition-fair	none	10+	C1	5.8	104
T0835	1	Ash	Fraxinus excelsior	1	350	13	4	3	4	4	no info	no info	4	Early-mature	Fair	Structural condition-fair	none	10+	C1	4.2	55
T0836	1	Ash	Fraxinus excelsior	2	749	14	6	6	6	5	no info	no info	3.5	Mature	Fair	Structural condition-fair	none	20+	B1	9	254
T0002	1	Ash	Fraxinus excelsior	1	500	13	4	4	4	5	no info	no info	3.5	Mature	Fair	Structural condition-fair	none	10+	C1	6	113
T0837	1	Ash	Fraxinus excelsior	5	278	9	4	3	4	4	no info	no info	3	Early-mature	Fair	Structural condition-fair	none	10+	C1	3.3	35