

User input indicated by **Orange fields**

User Input	
Zoning lookup	Minimum GI Score
Res	0,5

1. Enter Development Site Area m ² HERE ▶		1330	
Surface Type (see tab for detailed descriptions)	Factor	Proposed Surface Area m ²	Factor Values
1. Short Lawn	0,3	120	36
2. Tall Lawn (wild, not mown)	0,5	88	44
Permeable Paving	0,3	725	217,5
Vegetation		551	0
4a. Vegetation-Shrub below 3m	0,4	95	38
4b. Vegetation-Shrub / Hedgerow above 3m	0,5	100	50
4c. Vegetation-Pollinator friendly perennial planting	0,5	120	60
4d. Vegetation-Preserved hedgerow	1,2	20	24
Trees		105	0
5a. New trees	0,6	100	60
5b. Preserved trees	1,2	5	6
7. SuDS intervention (rain garden, bioswale)	0,6	25	15
Green Roof		75	0
9a. Green Roofs - Intensive green roof (substrate is 200-1200mm in depth)	0,7	0	0
9b. Green Roofs - Extensive green roof (substrate is 80-200mm in depth)	0,6	75	45
10. Green wall	0,4	800	320
11. Retained Open Water	2	0	0
12. New open water	1,5	0	0
Total Equivalent Surface Area of Greening Factors		3 004,00	

Green Factor
Numerator

915,50

Minimum Required GI score	Final GI score	Result
0,5	0,69	Pass