



ON ORIGINAL  
0 5 10 20 30 40 50m

© COPYRIGHT OF THIS DRAWING IS RESERVED BY DBFL CONSULTING ENGINEERS. NO PART SHALL BE REPRODUCED OR TRANSMITTED WITHOUT THEIR WRITTEN PERMISSION.

NO CHANGES OF WHATSOEVER NATURE ARE TO BE MADE TO ANY DETAILS SET OUT OR CONTAINED IN ANY DBFL SPECIFICATIONS OR DRAWINGS UNLESS THE EXPRESS CONSENT HAS BEEN OBTAINED IN ADVANCE, IN WRITING, FROM DBFL.

NOTES:

1. ALL DRAWINGS TO BE CHECKED BY CONTRACTOR ON SITE AND ENGINEER INFORMED OF DISCREPANCIES BEFORE WORK COMMENCES.
2. ALL LEVELS ARE IN METRES AND ARE RELATED TO ORDINANCE DATUM.
3. CONTRACTOR SHALL SATISFY HIMSELF AS TO THE ACCURACY OF PAVEMENT LEVELS ON SITE PRIOR TO COMMENCEMENT OF WORKS ON SITE.
4. ALL NEW FOUL SEWER INFRASTRUCTURE SHALL BE LAID IN ACCORDANCE WITH RISH WATER WASTEWATER INFRASTRUCTURE STANDARD DETAILS CONSTRUCTION REQUIREMENTS FOR SELF-LAY DEVELOPMENTS DECEMBER 2017 (REVISION 03) DOCUMENT IW-CDS-5008-01.
5. ALL FOUL SEWERS TO BE UPVC WITH IS EN 1401 2009/2012 UNLESS INDICATED OTHERWISE.
6. THIS DRAWING IS FOR PLANNING PURPOSES ONLY.
7. MANHOLE COVER LEVELS ARE TO CONFORM WITH FINISHED ROAD AND PATH LEVELS.
8. WHERE COVER TO PIPE IS LESS THAN 1200mm (ROAD/PATH/VERGE) OR 900mm (OPEN SPACE) SURROUND PIPE IN MINIMUM 150mm CONCRETE AS STD-WW-06.
9. WHERE INDICATED, ALL DISTANCES FROM DIVERTED SEWER TO ADJACENT STRUCTURES ARE TO CENTRELINE OF NEW SEWER.
10. ALL NEW MANHOLES TO BE TO STD-WW-10 UNO.

LEGEND

- CLONBURRIS T2 SITE BOUNDARY
- CHANGE IN BUILDING FLOOR LEVELS
- PROPOSED PERMEABLE PAVING
- GREEN ROOF
- BIORETENTION AREA / RAIN GARDEN
- EXISTING FOUL SEWER
- PROPOSED uPVC FOUL DRAINAGE
- PROPOSED FOUL WATER INSPECTION CHAMBER (STD-WW-13) AND HOUSE DRAIN
- EXISTING SURFACE WATER SEWER
- PROPOSED uPVC SURFACE WATER SEWER
- PROPOSED SURFACE WATER INSPECTION CHAMBER AND 150mm<sup>2</sup> UPVC HOUSE DRAIN
- PROPOSED GULLY
- PROPOSED SURFACE WATER DRAIN MANHOLE
- KERB INLET
- SUGS TREE FIT (TYPE 1 - GULLY CONNECTION)
- SUGS TREE FIT (TYPE 2 - DIRECT DISCHARGE)
- PROPOSED FILTER DRAIN
- PROPOSED ADO DRAIN
- PROPOSED SWALE WITH GRATED MANHOLE COVER (BRIQ BY EJ OSA)
- TRUNK SURFACE WATER SEWER TO BE CONSTRUCTED AS PART OF THE CLONBURRIS SOUTHERN LINK ST (SD220A0021)
- TRUNK FOUL SEWER TO BE CONSTRUCTED AS PART OF THE CLONBURRIS SOUTHERN LINK ST (SD220A0021)

rev	date	description	RMC	DCB
0	07-07-23	FURTHER INFORMATION		

STATUS CODES  
purpose P1 - INFORMATION  
acceptance S - ISSUED

**DBFL** Consulting Engineers  
Civil, Structural & Transportation Engineering  
www.dbfl.ie

DUBLIN OFFICE: O'Connell House, Upper O'Connell Quay, Dublin 7, D07 W704  
PHONE: +353 1 400 4000  
DUBLIN OFFICE: 14 South Mall, Cork, T12 CT91  
PHONE: +353 21 004030  
WATERFORD OFFICE: Suite 8b The Atrium, Maritime Quay, Canada Street, Waterford, X91 W038  
PHONE: +353 51 309 500

project ref.  
**CLONBURRIS T2**

drawing title  
**WIDER CLONBURRIS DRAINAGE STRATEGY**

client  
**CAIRN HOMES**

designed by xxx author xxx scale VALUE sheet size A1  
drawing no. CLB-1B-94-SW-DTM-DR-DBFL-CE-1003 revision 0

ORDNANCE SURVEY IRELAND LICENCE  
No CYAL50276885  
© ORDNANCE SURVEY IRELAND  
GOVERNMENT OF IRELAND