

**PLAY ITEM
SPECIFICATION SHEETS**

Refer to RMDA Landscape Report for the
play item locations on site

Landscape Report Reference:
ITEM 1 PAGE 3

Tower with Slide

NRO1003

KOMPAN
Let's play

Item no. NRO1003-1001

General Product Information

Dimensions LxWxH 313x193x320 cm

Age group 3+

Play capacity (users) 6

Colour options 



The Tower with Slide appeals immensely to children. With its climb and slide variation, children will try it out again, training cardio and muscles as they loop the slide and the varied climb access points. The inclined net is a fun challenge to climb, and it trains the child's proprioception: the awareness of where the body parts are in space and how much force

and distance it takes to move securely. The sturdy stair-step is a even more challenging with its chunky-grip, vertical steps. The platform offers a nice view. The slide is an all time favourite. When toddlers slide, they train their balance and spatial awareness. These motor skills are important for understanding your own body in space, and speed and distance. This is

an important skill for instance in managing street traffic securely.

Tower with Slide

NRO1003



Platform

Social-Emotional: Important life skills like courage, self-confidence, consideration and turn-taking are built.



Slide

Physical: sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. **Social-Emotional:** empathy stimulated by turn-taking. **Cognitive:** young children develop their understanding of space, speed and distances when sliding down quickly.



Climbing net

Physical: the inclined net supports the upward climbing movement of the body. The net supports cross-body coordination, which impacts coordination of the right and left part of brain, fundamental for other skills such as the ability to read. The asymmetry of the net challenges the children's climbing.

Tower with Slide

NRO1003



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).

Ropes of UV-stabilized PES rope strands with inner steel cable reinforcement. The polyester yarn is made from +95% post-consumer materials and is inductively melted onto each strand.



The stainless-steel slides with one-piece slide bed are made of high-quality stainless-steel AISI 304.



Slide interface panel of 19mm EcoCore™. EcoCore™ is a highly durable, eco-friendly material, which is not only recyclable after use, but also consists of a core produced from 100% recycled material.



The Robinia wood can be supplied as untreated raw wood, painted with a brown coloured transparent pigment that maintains the golden wood colour or in a coloured version where selected components are painted in different colours.

Item no. NRO1003-1001	
Installation Information	
Max. fall height	100 cm
Safety surfacing area	21.1 m²
Total installation time	7.2
Excavation volume	0.99 m³
Concrete volume	0.08 m³
Footing depth (standard)	100 cm
Shipment weight	402 kg
Anchoring options	In-ground ✓ Surface ✓
Warranty Information	
Robinia wood	15 years
Stainless steel components	Lifetime
Stainless steel components	Lifetime
Ropes & nets	10 years
Spare parts guaranteed	10 years



Sustainability Data

NRO1003



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
NRO1003-1001	246.30	0.85	10.70

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3)



Kompan A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play", represented by item no. NRO409-0671

(Scope 3 emissions include emission sources in the upstream and downstream value chain)

Date: 30. October 2023 | Valid until 30. October 2025


Verified by:



Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark; Julie M. V. Larsen.

Publication date: 30. October 2023




Tower with Slide

NRO1003




* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



NRO1003-1001
* 100cm
** 320cm
*** 21.1m²



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)

Landscape Report Reference
ITEM 2 PAGE 3

Embankment Slide

NRO308

KOMPAN
Let's play

Item no. NRO308-0801


General Product Information

Dimensions LxWxH 92x261x192 cm

Age group 3+

Play capacity (users) 3

Colour options 



The shiny embankment slide motivates fun play activity for all children and those childish at heart. Due to the embankment slide and run loop, children will run up and slide down again and again. Sliding on the embankment slide is an extra fun experience as friends can run up or down next to the sliding child, or slide side-by-side suitable for different ages and abilities.

The embankment hill is a great place for rolling or running, too. When children slide they train their core muscles, sitting upright or while rolling down. This stimulates their trunk stability, important for avoiding back and neck pains – a growing problem in children due to sedentary lifestyles. Run uphill or downhill they train their balance and coordination as well as

their muscle strength. They train muscle tonus needed and train risk taking in holding back or letting go downhill.




Embankment Slide

NRO308



Slide

Physical: sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. **Social-Emotional:** empathy stimulated by turn-taking. **Cognitive:** young children develop their understanding of space, speed and distances when sliding down quickly.



Embankment Slide

NRO308



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).

The stainless steel slides with one piece slide bed are made of high quality stainless steel AISI 304.

Slide interface panel of 19mm EcoCore™. EcoCore™ is a highly durable, eco-friendly material, which is not only recyclable after use, but also consists of a core produced from 100% recycled material.



The hardware is made of stainless steel or galvanized steel to ensure durable connections with a high corrosion resistance.

The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.

Item no. NRO308-0801	
Installation Information	
Max. fall height	100 cm
Safety surfacing area	14,1 m ²
Total installation time	3,8
Excavation volume	0,39 m ³
Concrete volume	0,12 m ³
Footing depth (standard)	82 cm
Shipment weight	220 kg
Anchoring options	In-ground ✓
Warranty Information	
EcoCore HDPE	Lifetime
Stainless steel components	Lifetime
Robinia wood	15 years
Stainless steel slide	10 years
Spare parts guaranteed	10 years



Sustainability Data

NRO308




Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
NRO308-0801	214.50	1.59	20.50

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3)

Kompan A/S
 C.F. Tietjens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol). Scope 3, cradle to gate related to all individual components in the product category "Nature play" represented by term no. NRO409-0621

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:



Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark - Julie M. V. Larsen.

Publication date: 30. October 2023




By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000

Embankment Slide


NRO308

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



NRO308
*100cm
**192cm
***14.1m²



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)

Landscape Report Reference:
ITEM 3 PAGE 4

Waterlilies Balance Post, 5 pcs


NRO820



Item no. NRO820-0601

General Product Information

Dimensions LxWxH	217x107x32 cm
Age group	2+
Play capacity (users)	2
Colour options	 




The Water Lilies Balance Posts appeal to children who love to play 'The Ground is Lava' game. The Water Lilies invite jumping or balancing from one to the next. The can also be used as individual seats and cater for meeting and exchanging. The Water Lilies are wide so appeal to children who are less confident with balancing. When balancing from

one water lily to the other, children train their proprioception and sense of balance, both fundamental skills in confidently managing the body in its surroundings. Crossing the Water Lilies with friends teaches children how to take turns. These are important social-emotional skills that are basic to the ability to form friendship and relate to peers.



Waterlilies Balance Post, 5 pcs

NRO820





Balance posts
Physical: sense of balance is trained, and bone density built when jumping between and off the pods. Social-Emotional: turn-taking and cooperation as well as room for a seated rest with friends.

Waterlilies Balance Post, 5 pcs

NRO820

KOMPAN
Let's play



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).

The steps are available in two versions. Either 1) plywood with a thickness of 21,5mm from alder and pine wood with both sides covered by 2 layers of phenolic film with anti-slip net pattern or 2) EcoCore HDPE panels.


The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.

Item no. NRO820-0601	
Installation Information	
Max. fall height	32 cm
Safety surfacing area	16.8 m ²
Total installation time	2.4
Excavation volume	0.21 m ³
Concrete volume	0.08 m ³
Footing depth (standard)	60 cm
Shipment weight	94 kg
Anchoring options	In-ground Surface
Warranty Information	
Robinia wood	15 years
Spare parts guaranteed	10 years



Sustainability Data

NRO820



Cradle to Gate A1-A3


	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
NRO820-0601	9.60	0.13	0.20

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3)

Kompan A/S
 C.F. Tietgens Boulevard 32C
 DK 5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Nature play



Data version no 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category "Nature play" represented by item no.: NRO409.0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:



Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark. Julie M. V. Larsen.

Publication date: 30. October 2023



By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000



Waterlilies Balance Post, 5 pcs

NRO820



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height




[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)

Landscape Report Reference:
ITEM 4 PAGE 4

PICK-UP STICKS PICUS1
 19.5 SQ METRES 20mm WETPOUR
 16.0 LINEAR METRES WETPOUR EDGING
 MAX FFH < 600mm

24.5 SQ METRES 40mm TILES
 19.0 LINEAR METRES TILE EDGING
 19 GRASS MATS



Landscape Report Reference:
ITEM 5 PAGE 4


Balance Posts with Rope


NRO821

KOMPAN
Let's play

Item no. NRO821-0901


General Product Information

Dimensions LxWxH	316x59x120 cm
Age group	4+
Play capacity (users)	3
Colour options	




The Balance Posts with Rope appeal to children immediately. When walking or jumping from pole to pole, children train their proprioception and sense of balance, both skills are fundamental in confidently managing the body in its surroundings. This is important for instance when navigating street traffic safely, but it also plays an important role for

children's self confidence. The support rope can be used by those less confident in their balancing skills. Navigating across the Balance Poles with friends teaches children how to take turns. These are important social-emotional skills that are basic to the ability to form friendship and relate to peers. All in all, so much more than play.



Balance Posts with Rope

NRO821



Rope handholds


Physical: provides stability in balancing.
Makes possible hanging in arms, training upper body muscles. **Social-Emotional:** adds a feeling of security.

Balance pods

Physical: sense of balance is trained, and bone density built when jumping between and off the pods. **Social-Emotional:** turn-taking and cooperation as well as room for a seated rest with friends.

Balance Posts with Rope

NRO821



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



Nets and ropes are made of UV-stabilised PA with inner steel cable reinforcement. The rope is induction treated in order to create a strong connection between steel and rope which leads to good wear resistance.




The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.

Item no. NRO821-0901	
Installation Information	
Max. fall height	35 cm
Safety surfacing area	19.3 m ²
Total installation time	3.3
Excavation volume	0.55 m ³
Concrete volume	0.28 m ³
Footing depth (standard)	100 cm
Shipment weight	204 kg
Anchoring options	In-ground ✓
Warranty Information	
Robinia wood	15 years
Ropes & nets	10 years
Spare parts guaranteed	10 years



Sustainability Data

NRO821



Cradle to Gate A1-A3


	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
NRO821-0901	23.60	0.15	0.50

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
 C.F. Tietgens Boulevard 32C
 DK 5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol). Scope 3, cradle to gate related to all individual components in the product category "Nature Play" represented by item no. NRO409-0621

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by Bureau Veritas HSE, Denmark. Julie M. V. Larsen.

Publication date: 30. October 2023





By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000

Balance Posts with Rope

NRO821

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



[Click to see TOP VIEW](#)



[Click to see SIDE VIEW](#)

Landscape Report Reference:
ITEM 6 PAGE 4


NORLEG	
Robinia balancepæle 10 stk.	
LE 20520	
23.02.2010	REV .

< 600

 ≥ EN 1176




1:30



1:50

Denne tegning er NORLEGS ejendom, og må ifølge gældende lov ikke kopieres, overføres eller udnyttes af 3. mand. Sker dette, skal det påregnes, at der vil blive opkrævet et honorar på 10% af formodet entreprisensum.

NORLEG - 3D	
Robinia balancepæle 10 stk.	
LE 20520	
23.02.2010	REV -



Denne tegning er NORLEG's ejendom, og må ifølge gældende lov ikke kopieres, overføres eller udnyttes af 3. mand. Sker dette, skal det påregnes, at der vil blive opkrævet et honorar på 10% af formodet entreprisensum

NORLEG - Mont


Robinia balancepæle 10 stk.

LE 20520

23.02.2010




REV. .

< 600



≥ EN 1176

Parts list		
Mrk.	QTY	Part no
1	10	160-180-0500/1100



Denne tegning er NORLEG's ejendom, og må ifølge gældende lov ikke kopieres, overføres eller udnyttes af 3. mand. Sker dette, skal det påregnes, at der vil blive opkrævet et honorar på 10% af formodet entreprisensum.

Landscape Report Reference:
Exercise Equipment
ITEM 1 PAGE 6

Incline Press

FSW206



Street workout is a physical activity that symbolises the freedom of movement and encourages socializing. It is a combination of athletics, calisthenics and other sports, and mostly performed in the public space. The incline press is specifically designed for beginners that are having a hard time with push ups and pull ups. The side handles offer

different positions and heights to place hands or feet, allowing the user to decrease and increase own bodyweight while performing exercises like push ups. The top bar makes it possible to do many more exercises. From pull ups where you train the upper body to knee raises that work your abdominal muscles.

Item no. FSW20600-0901	
General Product Information	
Dimensions LxWxH	119x12x240 cm
Age group	13+
Play capacity (users)	1
Colour options	



See KOMPAN Fit app for more



Incline Press

FSW206




Post are made of Ø101.6 x 2mm, pre-galvanized carbon steel and powder coated, a great protection to all conditions.




The connectors are made of die-cast aluminium, specially alloyed for the outdoor environments and heavy usage. The screws attaching the connectors are stainless steel and protected by zinc washers.



The handles offer 4 different heights to place the hands or feet



All KOMPAN fitness products are compliant with the ASTM F3101 & EN16630 Outdoor Fitness Standards. Load tests are performed as a static test by adding dynamic factors as well as safety factors to the specified load of 78kg per user. A product intended for 1 user is loaded with 420kg.



The information sign is made of a PA6 (Polymide) and shows the most relevant exercise and a QR code. When scanned the QR code will link to an animated illustration of the exercise and offers the possibility of downloading the KOMPAN sport & fitness App, which will provide a large amount of exercises and workouts.



KOMPAN fitness products are standard available in Orange, Anthracite Grey, Medium Grey, Dark Grey, Night Sky Blue, Light Blue, Yellow, Red, Black, Moss Green, Lime Green, Medium Green, Sand and Nut Brown. All other RAL colours are available on request. It will always be possible to match the surroundings or colour theme!

Item no. FSW20600-0901	
Installation Information	
Max. fall height	133 cm
Safety surfacing area	11.0 m ²
Total installation time	2,7
Excavation volume	0.35 m ³
Concrete volume	0.19 m ³
Footing depth (standard)	90 cm
Shipment weight	70 kg
Anchoring options	In-ground ✓ Surface ✓
Warranty Information	
Hot dip galvanised steel	Lifetime
Post	10 years
Connectors	10 years
Spare parts guaranteed	10 years



Sustainability Data

FSW206



Kompan A/S
C.F. Tietgens Boulevard 32C
DK 5220 Odense SØ
Denmark



Verification of CO₂ calculation of:
Fitness



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GIG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category "Fitness" represented by item no.:

FAZ10100-0900

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: **30. October 2023** | Valid until: **30. October 2025**

Verified by:

Julie Marie Veisgaard Larsen, LCA & EPD Consultant

Verification based on report, validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark, Julie M. V. Larsen.

Publication date: **30. October 2023**

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000



Cradle to Gate A1-A3

	Total CO ₂ emission kg CO ₂ e	CO ₂ e/kg kg CO ₂ e/kg	Recycled materials %
FSW20600-0901	156.80	3.60	47.90



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3)

Incline Press

FSW206

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



[Click to see TOP VIEW](#)


[Click to see SIDE VIEW](#)

Landscape Report Reference:
Exercise Equipment
ITEM 2 PAGE 6

Dip Bench

FSW202

KOMPAN
Let's play

Item no. FSW20200-0901	
General Product Information	
Dimensions LxWxH	195x53x73 cm
Age group	13+
Play capacity (users)	2
Colour options	



See KOMPAN Fit app for more



A row of parallel handle bars suitable for the more advanced hand balancing exercises such as hand stand push ups. Also perfect for dips, an ideal exercise for strengthening the chest, shoulder and arm muscles. Rounded corners makes it safe and simple for anyone to try exercises in which they try to swing their legs over the bar. The Dip Bench has a clear

instruction sign showing the basic exercise and a QR code. By using the QR code users can connect to the KOMPAN fitness App, where they will find multiple exercises and workouts at every level.

Dip Bench

FSW202



Post are made of Ø101.6 x 2mm, pre-galvanized carbon steel and powder coated, a great protection to all conditions.



The connectors are made of die-cast aluminium, specially alloyed for the outdoor environments and heavy usage. The screws attaching the connectors are stainless steel and protected by zinc washers.



Bars intended as grips during exercises are made of hot-dip galvanized steel Ø38mm. A great diameter to support the wrist when doing dips or handstands.



All KOMPAN fitness products are compliant with the ASTM F3101 & EN16630 Outdoor Fitness Standards. Load tests are performed as a static test by adding dynamic factors as well as safety factors to the specified load of 78kg per user. A product intended for 1 user is loaded with 420kg.



The information sign is made of a PA6 (Polyamide) and shows the most relevant exercise and a QR code. When scanned the QR code will link to an animated illustration of the exercise and offers the possibility of downloading the KOMPAN sport & fitness App, which will provide a large amount of exercises and workouts.



KOMPAN fitness products are standard available in Orange, Anthracite Grey, Medium Grey, Dark Grey, Night Sky Blue, Light Blue, Yellow, Red, Black, Moss Green, Lime Green, Medium Green, Sand and Nut Brown. All other RAL colours are available on request. It will always be possible to match the surroundings or colour theme!

Item no. FSW20200-0901	
Installation Information	
Max. fall height	73 cm
Safety surfacing area	15.5 m ²
Total installation time	2.6
Excavation volume	0.11 m ³
Concrete volume	0.00 m ³
Footing depth (standard)	90 cm
Shipment weight	68 kg
Anchoring options	In-ground ✓ Surface ✓
Warranty Information	
Hot dip galvanized steel	Lifetime
Post	10 years
Connectors	10 years
Spare parts guaranteed	10 years



Sustainability Data

FSW202




Cradle to Gate A1-A3	Total CO ₂ emission kg CO ₂ e	CO ₂ e/kg	Recycled materials %
FSW20200-0901	166.60	3.33	48.70

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3)

Kompan A/S
C.F. Tietgens Boulevard 32C
DK 5220 Odense SØ
Denmark



Verification of CO₂ calculation of: Fitness



Data version nr. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GIG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category, "Fitness", represented by item no. FAZ10100-1900

(Scope 3 emissions include emission sources in the upstream and downstream value chain)

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:



Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by Bureau Veritas HSE, Denmark; Julie M. V. Larsen.

Publication date: 30. October 2023




By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000

Dip Bench


FSW202

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



FSW202000
*73cm
**73cm
***15.5m²



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)

Landscape Report Reference:
Exercise Equipment
ITEM 3 PAGE 6

Push Up Bars

FSW209

KOMPAN
Let's play

Item no. FSW20900-0901

General Product Information

Dimensions LxWxH	335x12x140 cm
Age group	13+
Play capacity (users)	3
Colour options	



The push up bars are specifically designed for upper body training. The chest and arms can be trained through exercises such as rows or dips. If you do not mind getting dirty you can 'belly crawl' underneath the bars. Otherwise a single hurdle can also be used for exercises on the spot such as push ups and high jumps. The Push up Bars have a clear instruction sign

showing the basic exercise and a QR code. By clicking on the QR code users can connect to the KOMPAN fitness App, where they will find multiple exercises and workouts at every level.



See KOMPAN Fit app for more



Push Up Bars

FSW209




Post are made of $\text{Ø}101.6 \times 2\text{mm}$, pre-galvanized carbon steel and powder coated, a great protection to all conditions.



The connectors are made of die-cast aluminium, specially alloyed for the outdoor environments and heavy usage. The screws attaching the connectors are stainless steel and protected by zinc washers.




The FSW 209 features three 38 x 2mm push up bars at three heights of respectively 58cm, 88cm and 133cm.



All KOMPAN fitness products are compliant with the ASTM F3101 & EN16630 Outdoor Fitness Standards. Load tests are performed as a static test by adding dynamic factors as well as safety factors to the specified load of 78kg per user. A product intended for 1 user is loaded with 420kg.



The information sign is made of a PA6 (Polyamide) and shows the most relevant exercise and a QR code. When scanned the QR code will link to an animated illustration of the exercise and offers the possibility of downloading the KOMPAN sport & fitness App, which will provide a large amount of exercises and workouts.



KOMPAN fitness products are standard available in Orange, Anthracite Grey, Medium Grey, Dark Grey, Night Sky Blue, Light Blue, Yellow, Red, Black, Moss Green, Lime Green, Medium Green, Sand and Nut Brown. All other RAL colours are available on request. It will always be possible to match the surroundings or colour theme!

Item no. FSW20900-0901

Installation Information

Max. fall height	133 cm
Safety surfacing area	18.0 m ²
Total installation time	2.7
Excavation volume	0.11 m ³
Concrete volume	0.03 m ³
Footing depth (standard)	90 cm
Shipment weight	72 kg
Anchoring options	In-ground ✓
	Surface ✓

Warranty Information

Hot dip galvanised steel	Lifetime
Post	10 years
Connectors	10 years
Spare parts guaranteed	10 years



Sustainability Data

FSW209




Cradle to Gate A1-A3	Total CO ₂ emission kg CO ₂ e	CO ₂ e/kg	Recycled materials %
FSW20900-0901	160.80	3.62	48.50

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3)

Kompan A/S
 C.F. Tietjens Boulevard 32C
 DK 5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Fitness



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol). Scope 3: cradle to gate related to all individual components in the product category "Fitness" represented by item no. FAZ1010R-0901. (Scope 3 emissions include emission sources in the upstream and downstream value chain)

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by Bureau Veritas HSE, Denmark, Julie M. V. Larsen

Publication date: 30. October 2023


By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000




Push Up Bars

FSW209

* Max fall height | ** Total height | *** Safety surfacing area



* Max fall height | ** Total height



[Click to see TOP VIEW](#)


[Click to see SIDE VIEW](#)

Dip Bench


FSW202

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



FSW20200
*73cm
**73cm
***15.5m²



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)

**Landscape Report Reference:
Exercise Equipment
ITEM 4 PAGE 6**

Decline Bench

FSW204

KOMPAN
Let's play

Item no. FSW20400-0901

General Product Information

Dimensions LxWxH	153x88x81 cm
Age group	13+
Play capacity (users)	1
Colour options	



various step and jump exercises under all weather conditions.

The decline bench, similar to the straight bench, is perfect for training the core with lower back and ab exercises such as leg lifts and sit ups. The bench has a 15° decline, increasing the difficulty level of the exercises, making you work out harder. The durable Ekogrip® surfacing offers perfect grip, allowing the bench to be used as a jump box for performing



See KOMPAN Fit app for more



Decline Bench

FSW204




Post are made of Ø101.6 x 2mm, pre-galvanized carbon steel and powder coated, a great protection to all conditions.



The connectors are made of die-cast aluminium, specially alloyed for the outdoor environments and heavy usage. The screws attaching the connectors are stainless steel and protected by zinc washers.



The surface is made of Ekogrip™ panels, consisting of 15mm polyethylene with a 3mm top-layer of thermoplastic rubber. The Ekogrip™ panels have a non-skid effect for comfortable and safe training at all weather circumstances.



All KOMPAN fitness products are compliant with the ASTM F3101 & EN16630 Outdoor Fitness Standards. Load tests are performed as a static test by adding dynamic factors as well as safety factors to the specified load of 78kg per user. A product intended for 1 user is loaded with 420kg.



The information sign is made of a PA6 (Polyamide) and shows the most relevant exercise and a QR code. When scanned the QR code will link to an animated illustration of the exercise and offers the possibility of downloading the KOMPAN sport & fitness App, which will provide a large amount of exercises and workouts.



KOMPAN fitness products are standard available in Orange, Anthracite Grey, Medium Grey, Dark Grey, Night Sky Blue, Light Blue, Yellow, Red, Black, Moss Green, Lime Green, Medium Green, Sand and Nut Brown. All other RAL colours are available on request. It will always be possible to match the surroundings or colour theme!

Item no. FSW20400-0901	
Installation Information	
Max. fall height	63 cm
Safety surfacing area	14.0 m ²
Total installation time	2.9
Excavation volume	0.11 m ³
Concrete volume	0.00 m ³
Footing depth (standard)	90 cm
Shipment weight	57 kg
Anchoring options	In-ground ✓ Surface ✓
Warranty Information	
EcoCore HDPE	Lifetime
Post	10 years
Hot dip galvanised steel	Lifetime
Connectors	10 years
Spare parts guaranteed	10 years



Sustainability Data


FSW204



Kompan A/S
C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Verification of CO₂ calculation of:
Fitness



Cradle to Gate A1-A3

	Total CO ₂ emission kg CO ₂ e	CO ₂ e/kg kg CO ₂ e/kg	Recycled materials %
FSW20400-0901	131.30	3.44	37.40

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3)

Data version no: 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol, Scope 3, cradle to gate related to all individual components in the product category "Fitness" represented by item no. FAZ10100-R900 (Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: **30. October 2023** | Valid until: **30. October 2025**

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by Bureau Veritas HSE, Denmark; Julie M. V. Larsen.

Publication date: **30. October 2023**

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





Decline Bench

FSW204

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)